
RESOURCE STATEMENT & JORC CODE COMPLIANCE STATEMENTS

Mineral Resource Statement

Mineral Resources at 30 June 2011 – Gold Equity Share

	MEASURED		INDICATED		INFERRED		TOTAL		
	TONNES	GRADE	TONNES	GRADE	TONNES	GRADE	TONNES	GRADE	GOLD
	('000)	Au g/t	('000)	Au g/t	('000)	Au g/t	('000)	Au g/t	Ounces ('000)
TOTAL NORTHCOTE ¹	1,125	2.2	1,722	1.6	908	1.6	3,755	1.8	217
TOTAL TREGOORA	11	2.1	2,301	1.6	2,160	1.5	4,472	1.6	229
ATRIC ¹	-	-	890	1.9	46	1.7	936	1.9	57
REEDY-HURRICANE	-	-	-	-	797	1.3	797	1.3	33
TOTAL HODGKINSON BASIN	1,136	2.2	4,913	1.7	3,911	1.5	9,960	1.7	536
TOTAL AMAYAPAMPA	-	-	26,160	1.2	8,750	1.1	34,910	1.1	1,280
TOTAL MINERAL RESOURCES	1,136	2.2	31,073	1.3	12,661	1.2	44,870	1.3	1,816

Mineral Resources at 30 June 2011 – Antimony Equity Share

	MEASURED		INDICATED		INFERRED		TOTAL		
	Tonnes	Grade	Tonnes	Grade	Tonnes	Grade	Tonnes	Grade	Tonnes
	('000)	Sb %	('000)	Sb %	('000)	Sb %	('000)	Au g/t	Tonnes
NORTHCOTE ANTIMONY	1,295	0.3	1,056	0.2	635	0.3	2,985	0.3	8,000

Notes:

¹ Figures are Republic's equity share of these projects, being 75% of the Northcote and 90% of the Atric and Reedy projects.

Resources may not sum to equal totals due to rounding.

The Mineral Resource is inclusive of the reported Ore Reserve

Resource Estimation Parameters

Location	Grade Interpolation Method	Section Spacing metres	COG g/t Au Oxide & Transition	COG g/t Au Primary	Oxide Density	Primary Density
HODGKINSON BASIN						
Northcote ¹	Block Model Ordinary Kriging	25	0.5	1.0	2.30	2.70
Tregoorra ¹	Block Model Ordinary Kriging	25 to 50	0.5	1.0	2.30	2.60
Atric	Block Model ID2	25	N/A	0.5	2.50	2.50
BOLIVIA						
Amayapampa	Block Model Ordinary Kriging	10 to 50	0.4	0.4	2.40	2.75

1 At Northcote, top cuts of 20 Au g/t for East Leadingham and 15 Au g/t for Emily and Emily South were applied to composite grades for grade estimation. No top cut was used at the other Northcote domains. At Tregoorra, a top cut of 6.0 Au g/t was used for the Honey, Midway, Rainbird and Pillidge domains. No top cut was used at the other Tregoorra domains. A top cut of 5.0, 10.0 & 20.0 Au g/t was applied to the Amayapampa model for the Oxide, Transition and Primary ore types respectively.

2 In the table above COG = Cut-Off Grade. At higher gold prices or with improved economics the current Mineral Resources cut-off grades may be lowered thus increasing the FNQ Mineral and Amayapampa Resources.

Ore Reserves at 30 June 2011

	PROVEN		PROBABLE		TOTAL		
	TONNES	GRADE	TONNES	GRADE	TONNES	GRADE	GOLD
	('000)	Au g/t	('000)	Au g/t	('000)	Au g/t	Ounces ('000)
AMAYAPAMPA	-	-	18,900	1.3	18,900	1.3	787,300

Ore Reserve Cut-offs

Ore Type	Cut-off Grade (g/t Au)
Oxide	0.80
Transition	0.70
Primary	0.45

Notes Accompanying the Mineral Resource and Reserve Statement

Information in this report that relates to Mineral Resources for Republic Gold Limited is based on information compiled by Neb Zurkic, Republic Technical Director and by Paul Pyke, Republic Project Development Manager, both are members of the Australasian Institute of Mining and Metallurgy and Neb Zurkic is a member of the Australian Institute of Geoscientists. It is also based on information estimated by Kerrin Allwood, Republic Gold's Resource Estimation consultant, a member of the Australasian Institute of Mining and Metallurgy. Paul Pyke, Neb Zurkic and Kerrin Allwood have a minimum of five years experience in the estimation, assessment and evaluation of Mineral Resources and Ore Reserves. Paul Pyke, Neb Zurkic and Kerrin Allwood have significant experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as a Competent Person as defined in the 2004 edition of the "Australasian Code for Reporting of Mineral Resources and Ore Reserves". Paul Pyke, Neb Zurkic and Kerrin Allwood consent to the inclusion in this report of these matters based on the information in the form and context in which it appears.